

Material Safety Data Sheet

Inert Mix: 90% Argon / 10% Carbon Dioxide

Section 1: Product and Company Identification

Tech Air

50 Mill Plain Rd.
Danbury, CT 06811
203-792-1834 | <http://techair.com>
Email: Safety@techair.com

Product Code: Inert Mix: 90% Argon / 10% Carbon Dioxide

Part Number: 90AR10CD

| Gas Name | Concentration |
|----------------|---------------|
| Argon | 90 |
| Carbon Dioxide | 10 |

| | Chemical Substance | Chemical Family | Trade Names |
|----------------|---------------------|------------------|---|
| Argon | ARGON, COMPRESSED | non-metallic | ARGON; UN 1006; AR |
| Carbon Dioxide | CARBON DIOXIDE, GAS | oxides of carbon | CARBONIC ACID GAS; CARBONIC ANHYDRIDE; CARBON DIOXIDE; CARBON OXIDE; UN 1013; CO2 |

Section 2: Hazards Identification

| | Description | Main Health Hazard |
|----------------|---|----------------------|
| Argon | Colorless, odorless Containers may rupture or explode if exposed to heat. Simple asphyxiant. | Difficulty breathing |
| Carbon Dioxide | Colorless, odorless Containers may rupture or explode if exposed to heat. | Difficulty breathing |

Likely Routes of Exposure:

| | Inhalation | Ingestion | Eye | Skin | Health Effects | Target Organs | Medical Condition Aggravated by - |
|----------------|--|--------------------------------|---|---|----------------------|--------------------|--|
| Argon | Nausea, vomiting, difficulty breathing, irregular heartbeat, headache, dizziness, disorientation, mood swings, tingling sensation, loss of coordination, suffocation, convulsions, unconsciousness, coma | Ingestion of a gas is unlikely | No information on significant adverse effects | No information on significant adverse effects | Difficulty breathing | Respiratory system | None known |
| Carbon Dioxide | Ringling in the ears, nausea, irregular heartbeat, headache, drowsiness, dizziness, tingling sensation, visual disturbances, suffocation, convulsions, coma | Ingestion of a gas is unlikely | Irritation, frostbite, blurred vision | Liquid: blisters, frostbite | Difficulty breathing | Respiratory system | Heart or cardiovascular disorders, respiratory disorders |

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Section 3: Composition/Information on Ingredients

| | CAS # | % by Weight |
|--|-------|-------------|
|--|-------|-------------|

| | CAS # | % by Weight |
|----------------|-----------|-------------|
| Argon | 7440-37-1 | 90 |
| Carbon Dioxide | 124-38-9 | 10 |

Section 4: First Aid Measures

| | Skin Contact | Eye Contact | Ingestion | Inhalation | Note to Physicians |
|----------------|--|---|----------------------------------|--|----------------------------------|
| Argon | Not applicable route of exposure | Flush eyes with plenty of water. | Not applicable route of exposure | If adverse effects occur, remove to uncontaminated area. Give artificial respiration if not breathing. If breathing is difficult, oxygen should be administered by qualified personnel. Get immediate medical attention. | For inhalation, consider oxygen. |
| Carbon Dioxide | If frostbite or freezing occur, immediately flush with plenty of lukewarm water (105-115 F; 41-46 C). DO NOT USE HOT WATER. If warm water is not available, gently wrap affected parts in blankets. Get immediate medical attention. | Contact with liquid: Immediately flush eyes with plenty of water for at least 15 minutes. Then get immediate medical attention. | Do not induce vomiting. | If adverse effects occur, remove to uncontaminated area. Give artificial respiration if not breathing. If breathing is difficult, oxygen should be administered by qualified personnel. Get immediate medical attention. | For inhalation, consider oxygen. |

Section 5: Fire Fighting Measures

| | Suitable Extinguishing Media | Products of Combustion | Protection of Firefighters |
|----------------|------------------------------|------------------------|---|
| Argon | Non-flammable gas | Not applicable | <ul style="list-style-type: none"> ▪ N/A ▪ N/A |
| Carbon Dioxide | Non-flammable | Non-flammable | <ul style="list-style-type: none"> ▪ Any appropriate escape-type, self-contained breathing apparatus. ▪ Non-flammable |

Section 6: Accidental Release Measures

| | Personal Precautions | Environmental Precautions | Methods for Containment |
|----------------|---|--|--|
| Argon | Keep unnecessary people away, isolate hazard area and deny entry. Stay upwind and keep out of low areas. | None known. | Stop leak if possible without personal risk. |
| Carbon Dioxide | Keep unnecessary people away, isolate hazard area and deny entry. Ventilate closed spaces before entering. Do not touch spilled material. | Subject to California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65). Keep out of water supplies and sewers. | Stop leak if possible without personal risk. |

| | Methods for Cleanup | Other Information |
|----------------|--|-------------------|
| Argon | Leaks may be detected by a soapy-water solution. | |
| Carbon Dioxide | Stop leak, evacuate, remove source of ignition. | None |

Section 7: Handling and Storage

| | Handling | Storage |
|----------------|--|---|
| Argon | Store and handle in accordance with all current regulations and standards. Subject to storage regulations: U.S. OSHA 29 CFR 1910.101. Keep separated from incompatible substances. | Avoid using in confined spaces. |
| Carbon Dioxide | Subject to storage regulations: U.S. OSHA 29 CFR 1910.101. Keep separated from incompatible substances. | Store and handle in accordance with all current regulations and standards |

Section 8: Exposure Controls/Personal Protection

| | Exposure Guidelines |
|-----------------------|---|
| Argon | ARGON, COMPRESSED: ARGON: ACGIH (simple asphyxiant) |
| Carbon Dioxide | CARBON DIOXIDE, GAS: CARBON DIOXIDE: 5000 ppm (9000 mg/m ³) OSHA TWA 10000 ppm (18000 mg/m ³) OSHA TWA (vacated by 58 FR 35338, June 30, 1993) 30000 ppm (54000 mg/m ³) OSHA STEL (vacated by 58 FR 35338, June 30, 1993) 5000 ppm ACGIH TWA 30000 ppm ACGIH STEL 5000 ppm (9000 mg/m ³) NIOSH recommended TWA 10 hour(s) 30000 ppm (54000 mg/m ³) NIOSH recommended STEL |

Engineering Controls

Handle only in fully enclosed systems.

| | Eye Protection | Skin Protection | Respiratory Protection |
|-----------------------|--|--|--|
| Argon | Eye protection not required, but recommended. | Protective clothing is not required. | N/A |
| Carbon Dioxide | For the gas: Eye protection not required, but recommended. For the liquid: Wear splash resistant safety goggles. Contact lenses should not be worn. Provide an emergency eye wash fountain and quick drench shower in the immediate work area. | For the gas: Protective clothing is not required. For the liquid: Wear appropriate protective, cold insulating clothing. | Any appropriate escape-type, self-contained breathing apparatus. |

General Hygiene considerations

- Avoid breathing vapor or mist
- Avoid contact with eyes and skin
- Wash thoroughly after handling and before eating or drinking

Section 9: Physical and Chemical Properties

| | Physical State | Appearance | Color | Change in Appearance | Physical Form | Odor | Taste |
|-----------------------|----------------|------------|-----------|----------------------|---------------|----------|------------|
| Argon | Gas | Colorless | Colorless | N/A | Gas | Odorless | Tasteless |
| Carbon Dioxide | Gas | Colorless | Colorless | N/A | Gas | Odorless | Acid taste |

| | Flash Point | Flammability | Partition Coefficient | Autoignition Temperature | Upper Explosive Limits | Lower Explosive Limits |
|-----------------------|---------------|---------------|-----------------------|--------------------------|------------------------|------------------------|
| Argon | Not flammable | | | Nonflammable | Nonflammable | Nonflammable |
| Carbon Dioxide | Not flammable | Not available | N/A | Nonflammable | Nonflammable | Nonflammable |

| | Boiling Point | Freezing Point | Vapor Pressure | Vapor Density | Specific Gravity | Water Solubility | pH | Odor Threshold | Evaporation Rate | Viscosity |
|-----------------------|-----------------|---------------------------|-------------------|---------------|------------------|------------------|--|----------------|------------------|------------------|
| Argon | -303 F (-186 C) | -308 F (-189 C) | 500 mmHg @ -190 C | 1.38 (Air=1) | Not applicable | 3.36% @ 20 C | Not applicable | Not available | Not applicable | 0.0225 cP @ 25 C |
| Carbon Dioxide | Not available | -71 F (-57 C) @ 4000 mmHg | 43700 mmHg @ 21 C | 1.5 (Air=1) | 1.522 @ 21 C | Soluble | 3.7 (saturated aqueous solution) @ 101.3 kPa (carbonic acid) | Not available | Not applicable | 0.01657 cP @ 0 C |

| | Molecular Weight | Molecular Formula | Density | Weight per Gallon | Volatility by Volume | Volatility | Solvent Solubility |
|-----------------------|------------------|-------------------|-----------------|-------------------|----------------------|----------------|---|
| Argon | 39.948 | AR | 1.784 g/L @ 0 C | Not available | 100% | Not applicable | Soluble: Organic solvents |
| Carbon Dioxide | 44.01 | C-O2 | 0.114 | Not available | Not applicable | Not applicable | Soluble: Alcohol, acetone, hydrocarbons, organic solvents |

Section 10: Stability and Reactivity

| | Stability | Conditions to Avoid | Incompatible Materials |
|--|-----------|---------------------|------------------------|
| | | | |

| | Stability | Conditions to Avoid | Incompatible Materials |
|----------------|---|---|--|
| Argon | Stable at normal temperatures and pressure. | Stable at normal temperatures and pressure. | No data available. |
| Carbon Dioxide | Stable at normal temperatures and pressure. | Stable at normal temperatures and pressure. | Combustible materials, oxidizing materials, metal salts, reducing agents, metal carbide, metals, bases |

| | Hazardous Decomposition Products | Possibility of Hazardous Reactions |
|----------------|----------------------------------|------------------------------------|
| Argon | No data available. | Will not polymerize. |
| Carbon Dioxide | Carbon monoxide | Will not polymerize. |

Section 11: Toxicology Information

Acute Effects

| | Oral LD50 | Dermal LD50 | Inhalation |
|----------------|-----------------|-----------------|--|
| Argon | Not established | Not established | Nausea, vomiting, difficulty breathing, irregular heartbeat, headache, dizziness, disorientation, mood swings, tingling sensation, loss of coordination, suffocation, convulsions, unconsciousness, coma |
| Carbon Dioxide | Not established | Not established | Ringing in the ears, nausea, irregular heartbeat, headache, drowsiness, dizziness, tingling sensation, visual disturbances, suffocation, convulsions, coma |

| | Eye Irritation | Skin Irritation | Sensitization |
|----------------|---|---|----------------------|
| Argon | No information on significant adverse effects | No information on significant adverse effects | Difficulty breathing |
| Carbon Dioxide | Irritation, frostbite, blurred vision | Liquid: blisters, frostbite | Difficulty breathing |

Chronic Effects

| | Carcinogenicity | Mutagenicity | Reproductive Effects | Developmental Effects |
|----------------|-----------------|-----------------|----------------------|-----------------------|
| Argon | Not established | Not established | Not established | No data |
| Carbon Dioxide | Not available | Not established | Available. | No data |

Section 12: Ecological Information

Fate and Transport

| | Eco toxicity | Persistence / Degradability | Bioaccumulation / Accumulation | Mobility in Environment |
|----------------|--|---|--|--------------------------|
| Argon | Fish toxicity: Not available Invertebrate toxicity: Not available Algal toxicity: Not available Phyto toxicity: Not available Other toxicity: Not available | Not available | Not available | Not available |
| Carbon Dioxide | Fish toxicity: 150000 ug/L 48 day(s) (Mortality) Brown trout (Salmo trutta) Invertebrate toxicity: Not available Algal toxicity: Not available Phyto toxicity: Not available Other toxicity: Not available | Relatively non-persistent in the environment. Moderately volatile from water. | Accumulates very little in the bodies of living organisms. | Leaches through the soil |

Section 13: Disposal Considerations

| | |
|----------------|--|
| Argon | Dispose in accordance with all applicable regulations. |
| Carbon Dioxide | Dispose in accordance with all applicable regulations. |

Section 14: Transportation Information

U.S. DOT 49 CFR 172.101

| | Proper Shipping Name | ID Number | Hazard Class or Division | Packing Group | Labeling Requirements | Passenger Aircraft or Railcar Quantity Limitations | Cargo Aircraft Only Quantity Limitations | Additional Shipping Description |
|----------------|----------------------|-----------|--------------------------|----------------|-----------------------|--|--|---------------------------------|
| Argon | Argon, compressed | UN1006 | 2.2 | Not applicable | 2.2 | 75 kg or L | 150 kg | N/A |
| Carbon Dioxide | Carbon dioxide | UN1013 | 2.2 | Not applicable | 2.2 | 75 kg or L | 150kg | None |

Canadian Transportation of Dangerous Goods

| | Shipping Name | UN Number | Class | Packing Group / Risk Group |
|----------------|-------------------|-----------|-------|----------------------------|
| Argon | Argon, compressed | UN1006 | 2.2 | Not applicable |
| Carbon Dioxide | Carbon dioxide | UN1013 | 2.2 | Not applicable |

Section 15: Regulatory Information

U.S. Regulations

| | CERCLA Sections | SARA 355.30 | SARA 355.40 |
|----------------|-----------------|----------------|----------------|
| Argon | Not regulated. | Not regulated. | Not regulated. |
| Carbon Dioxide | Not regulated. | Not regulated. | Not regulated. |

SARA 370.21

| | Acute | Chronic | Fire | Reactive | Sudden Release |
|----------------|-------|---------|------|----------|----------------|
| Argon | Yes | No | No | No | Yes |
| Carbon Dioxide | Yes | No | No | No | Yes |

SARA 372.65

| | |
|----------------|----------------|
| Argon | Not regulated. |
| Carbon Dioxide | Not regulated. |

OSHA Process Safety

| | |
|----------------|----------------|
| Argon | Not regulated. |
| Carbon Dioxide | Not regulated. |

State Regulations

| | CA Proposition 65 |
|----------------|-------------------|
| Argon | Not regulated. |
| Carbon Dioxide | Not regulated. |

Canadian Regulations

| | WHMIS Classification |
|----------------|----------------------|
| Argon | A |
| Carbon Dioxide | A |

National Inventory Status

| | US Inventory (TSCA) | TSCA 12b Export Notification | Canada Inventory (DSL/NDSL) |
|----------------|----------------------|------------------------------|-----------------------------|
| Argon | Listed on inventory. | Not listed. | Listed on inventory. |
| Carbon Dioxide | Listed on inventory. | Not listed. | Listed on inventory. |

Section 16: Other Information

| | NFPA Rating |
|----------------|------------------------------|
| Argon | HEALTH=0 FIRE=0 REACTIVITY=0 |
| Carbon Dioxide | HEALTH=2 FIRE=0 REACTIVITY=0 |

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard